

Snow Shoe Refractories, LLC

895 Clarence Road, P. O. Box 276
Snow Shoe, PA 16874
Tel: (814) 387-6811 • Fax: (814) 387-6209

Super Duty Fireclay

Product Data

Scope:

A raw plastic fireclay material. Can be used as a mortar, filler, packing, etc. material in combination with other refractory products.

PCE: 28

Chemical Analysis (Wt.% - Calcined Basis)	
SiO ₂	67.7
Al ₂ O ₃	28.1
TiO ₂	1.7
Fe ₂ O ₃	1.3
CaO	0.2
MgO	0.5
Alkalies	1.9
LOI	8.5

The data given above are average results of our common sized products and are subject to variation. One standard deviation is given when adequate data is available. These results should not be used for specification purposes.

80500004/7-03